

SCHOOL INFORMATION

1. Name of the School with address : Delhi Public School
(strictly as per Affiliation sanction Sector 92
letter or as permitted by the Board) Mohali
with pin code no.
(i) E-mail dpsmohali@gmail.com
(ii) Ph. No. 07355407010, 07355408010
2. Year of establishment of school 2015
3. Whether NOC from State/UT Recognized by Punjab Education Department
or recommendation of Embassy Vide 3/18/2020/3C3/2020396/1 dt.19.03.2020
of India obtained? Recognition certificate from class I-X Vide
(i) NOC No. 3/18/2020/3C3/2020395/1 dt.19.03.2020
(ii) NOC issuing date
4. Is the school is recognised, if yes Education Department, Punjab Government
by which Authority
5. Status of affiliation : Affiliated to CBSE
Permanent / Regular / Provisional Regular
(i) Affiliation No. 1631331
6. Name of Trust / Society / Company Heritage Educational Society
Registered under Section 25 of
the Company Act, 1956.
Period into which Registration of
Trust/Society is valid
7. List of members of School Managing Committee

S.No.	Name	Designation
1	Mr.V.K. Shunglu	Chairman
2	Prof. B.P.Khandelwal	Vice Chairman
3	Mr. Uday C. Soni	Pro Vice Chairman
4	Mr. I.P. Singh	Member
5	Dr. Uma Tuli	Member
6	Mrs. Simar Singh Negi	Member
7	Mr. Anup Soni (Director)	Member
8	Mr. Manish Bansal (Director)	Member
9	Mr.Amit Bansal	Member
10	Mrs. Reema Dewan	Deputy Director & Secretary
11.	Mrs.Pawan Singh	Teacher Representative
12.	Mrs.Nidhi Arya	Teacher Representative

8. Name and official address of the Manager / President / Chairman / Correspondent
- Mrs. Reema Dewan** Deputy Director & Manager,
Delhi Public School, Sector 92, Mohali
dpsmohali@gmail.com
07355407010, 07355408010
- (i) E-mail
(ii) Phone No.
- Mr. Uday C. Soni** Pro Vice-Chairman DPS Mohali
President, Heritage Educational Society
N-103, Panchsheel Enclave, New Delhi
dpsmohali@gmail.com
011-26494652, 07355407010
011-26494652
- (i) E-mail
(ii) Phone No.
(iii) Fax No.
- Mr.V.K. Shunglu** Chairman, DPS Mohali
Chairman, DPS Society
F-Block, East of Kailash, New Delhi
secretarydpss@yahoo.in
011-43126700, 011-26439858
011-26472002, 011-26288911
- (i) E-mail
(ii) Phone No.
(iii) Fax No.
9. Area of school campus
- (i) In Acres 8.82 acres
(ii) In sq. mtrs. 35729.19 sq. mtrs.
(iii) Build up area (sq. mtrs) 3531 sq. mtrs.
(iv) Area of playground is sq.mtrs. 12600 sq. mtrs.
(v) Other facilities
- (i) Swimming Pool a splash pool
(ii) Indoor Games Yes
(iii) Dance Rooms Yes, 1 Room
(iv) Gymnasium Under discussion
(v) Music Rooms Yes, 1 Room
(vi) Hostels Nil
(vii) Health and Medical Check-up A full time nurse
10. Transport facility Buses owned by school
11. Mode of payment of salary
- (i) Name of the Bank through which salary is drawing HDFC Bank
(ii) Through single cheque transfer advice Yes
(iii) Individual Cheque No
(iv) Cash No

12. Size of the Library in sq.mtrs.
- | | | |
|-------|----------------------------------|----------------|
| (i) | Size of the Library in sq. mtrs. | 176.4 sq.mtrs. |
| (ii) | No. of Periodicals | 5 |
| (iii) | No. of Dailies | 7 |
| (iv) | Total No. of Books | 3398 |
| (v) | Total No. of Reference Books | 231 |
| (vi) | No. of Magazines | 5 |
13. Name of the Grievance / Redressal Officer with E-mail, Ph. No., Fax No.
- | | |
|------|--------------------------------------|
| | Mrs. Reema Dewan |
| | Dy. Director, DPS Mohali |
| (i) | E-mail
dpsmohali@gmail.com |
| (ii) | Phone No.
07355407010,07355408010 |
14. Members of Grievance Cell
- Mrs. Pawan Singh
Mrs. Nidhi Arya
Mrs. Rajni Jethi
Mrs. Pooja Kapila
Ms. Neelima
Mr. Karan Kumar
15. Members of Sexual Harassment Committee
- Mrs. Pawan Singh
Mrs. Samta Bedi
Mrs. Megha Sethi
Mrs. Aditi Datta
Mrs. Gaurav Sharma
16. Members of School Transport Committee
- a) Physical checking of buses and their documents as per Safe Vahan School Guidelines.
- i. Mr. Ajay Kumar
 - ii. Mr. Karan Kumar
 - iii. Mr. Gaurav Sharma
 - iv. Mr. Shinghara Singh
- b) Breath Analyser
- i. Mr. Ajay Kumar
 - ii. Mr. Shingara Singh
- c) Vehicle Tracking System and CCTV Camera
- i. Mr. Ajay Kumar
 - ii. Mr. Karan Kumar

d) Conducting sessions

- i. Mrs.Pawan Singh
- ii. Mrs.Nidhi Arya
- iii. Mr.Ajay Kumar
- iv. Mr.Biswas

e) Looking after discipline /safety of school children during dispersal/arrival

- i. Mrs.Pawan Singh
- ii. Mrs.Nidhi Arya
- iii. Ms.Neeru Sharma
- iv. Mrs.Vijeta Sharma
- v. Mrs.Samta (Pre-Primary Wing)
- vi. Mrs.Rajni Jethi (Class II-VIII)
- vii. Mr.Ajay Kumar
- viii. Mr.Gaurav Sharma

f) Assigning and managing the duties of teachers on bus duty and bus attendants:

- i. Mrs.Pawan Singh
- ii. Ms.Kuljit Kaur

17. Section wise enrolment of school for the current session

	No. of Sections	Strength
Nursery	1	29
Prep	1	23
Class I	1	45
Class II	2	50
Class III	2	58
Class IV	2	78
Class V	2	61
Class VI	2	45
Class VII	1	44
Class VIII	1	27
Class IX	1	34

18. Academic session period from April to March
19. Vacation period
Summer Vacation (Current Session (Phase I): 26th May,2021 to June 15, 2021)
Phase II: 2nd July, 2021 to 11th July, 2021
- Diwali Break One week during Diwali
(Current Session : 1st November, 2021 to 7th November, 2021)
- Winter Vacation Last week of December to first week of January
(Current Session : 30th December, 2021 to 10th January, 2022)
20. Admission period for
Entry Class / Pre-Primary December and January
- For all other classes Subject to availability of seats / T.C. Position

Qualifications of Teachers

Sr.No.	Teacher's Name	Qualification
1.	Ms.Pawan Singh	B.A.(Eng. Honrs.)M.A.(Eng.), MFC, B.Ed.
2.	Ms.Nidhi Arya	BA(S.St), B.Ed, Diploma in Early Child hood (DECE),P.D.P.E.T, MA(Eng)-Pursuing
3.	Ms.Samta Bedi	B.Com, B.Ed, P.D.P.E.T, M.A.(Sociology)-Pursuing
4.	Mr.Karan Kumar	BCA, MCA, B.Ed., P.D.P.E.T
5.	Mr.Gaurav Sharma	B.Ped, M.Ped,
6.	Ms.Kusum Sharma	B.Sc, M.A.(Eng.), B.Ed., P.D.P.E.T
7.	Ms.Rajni Jethi	B.Com, PGDBA, B.Ed.,P.D.P.E.T, MA(Eng)
8.	Ms.Megha Sethi	B.Com, PGDBM, B.Ed., P.D.P.E.T
9.	Ms.Aditi Datta	B.A., M.A.(Hindi), PGDIT, B.Ed., P.D.P.E.T
10.	Ms.Aanchal Kumar	BFA in Graphics, M.A.(Drawing and Painting), D.El.Ed.
11.	Ms.Anjana Chopra	B.A., NTT , B.Ed., P.D.P.E.T
12.	Ms.Vandana Chopra	B.Sc., PG-(Nutrition & Dietics), B.Ed., P.D.P.E.T
13.	Ms.Neetika	B.Sc., B.Ed., P.D.P.E.T , MA (Eng)
14.	Ms.Ruchi Makkar	B.A, M.A(Geography), PGDCA, PGD in RS & GIS, B.Ed. ,P.D.P.E.T
15.	Ms.Kuljit Kaur	B.A.(Hons.), B.Ed., P.D.P.E.T
16.	Ms.Rachana Ghai	N.T.T., B.A., M.A.(Eng.), MBA, B.Ed., P.D.P.E.T
17.	Ms.Tamanna Arora	B.Com, M.Com, MBA, B.Ed., D.El.Ed.
18.	Ms.Gunjan Sahota	B.A., B.Ed.
19.	Ms.Radhika	B.A., M.A.(Hindi), B.Ed.
20.	Ms.Pooja Verma	B.A., M.A.(Music), M.Phil (Music), B.Ed.,M.A.(Dance) Ph.D.(Pursuing)
21.	Ms.Gurpinder Kaur	B.A., M.A.(Mathematics),B.Ed.
22.	Ms.Pooja Kapila	B.Sc, M.Sc.(Physics), B.Ed.
23.	Ms.Monika P.Swami	B.A., M.A.(English), B.Ed.
24.	Ms.Mahima	B.A., B.Ped, M.Ped
25.	Mr.Avirbhav Verma	B.A., Master in Tabla, Sangeet Bhushan (From Pracheen Kala Kendra)
26.	Ms.Neelima	B.A.(Hons.), M.A.(Psychology) (Hons.)
27.	Ms.Barinder Kaur	M.Lib.Sc.
28.	Ms.Nidhi Menon	B.Tech (Electrical), M.A.(Psychology)-Pursue

*** The school follows 'No Homework Policy' for Nursery, Prep, Class I & Class II.**

TRANSFER CERTIFICATE FORMAT



DELHI PUBLIC SCHOOL SECTOR 92, MOHALI

(Under the aegis of the Delhi Public School Society, Delhi)

Phone : 7355407910, 735540810 Email : dpmohali@gmail.com

Book No.

Sl no.

Admission No.

1. Name of Pupil
2. Mother's Name
3. Father's/Guardian's Name
4. Nationality
5. Whether the pupil belongs of Schedule Caste / Schedule Tribe / OBC
6. Date of first admission in the School with class
7. Date of birth (in Christian Era) according to Admission Register
(in figures) (in words).....
8. Class in which the pupil last studied (in figures) (in words).....
9. School/Board Annual examination last taken with result
10. Whether failed, if so once/twice in the same class
11. Subjects Studied : 1..... 2..... 3..... 4..... 5.....
12. Whether qualified for promotion to the higher class
- If so, to which class (in figures) (in words).....
13. Month upto which school dues paid
14. Any fee concessions availed of : if so, the nature of such concession
15. Total number of working days
16. Total number of working days present
17. Co-Curricular activities participated in
(mention achievement level therein)
18. Games played (mention achievement level therein)
19. General Conduct
20. Date of application for certificate
21. Date of issue of Certificate
22. Reasons for leaving the school
23. Any other remark

Signature
Class Teacher

Checked by
(state full name and designation)

School Head
Seal

FIRE SAFETY CERTIFICATE

4470001

Punjab Fire Services

GOVERNMENT OF PUNJAB

Help: 1800-1800-0172

0172-2619193

email:

mis@punfidco@punjab.gov.in



PUNJAB MUNICIPAL
INFRASTRUCTURE DEVELOPMENT
COMPANY



Home	NOC Application	Downloads
Customer Login	Employee Login	

Verify fire No Objection Certificates

Back

This is Duplicate copy just to verify NOC

Punjab Fire Services
(Fire Station Name)

FIRE SAFETY CERTIFICATE
ਦਾਇਰ ਸੇਫਟੀ ਪ੍ਰਮਾਣ ਪੱਤਰ

NOC No 2004-35170-Fire/24169

NOC Type: Renew

Dated **09-Mar-2021**

Certified that the Delhi Public School Mohali (Name of the building or premises) at Delhi Public School Mohali Chapper Chiri, Sector 92, Mohali (Address) comprised of 1 basements and 1 (Upper floor) owned /occupied by Delhi Public School Mohali (Name of the Company / Name of the owner / occupier) have complied with the fire prevention and fire safety requirements of National Building Code and verified by the officer concerned of fire service on **08-Mar-2021** (date of inspection) in the presence of **Amit Bhakkal** (Name and address of the owner or his representative) and that the building / premises is fit for occupancy group **Educational Building B-1** subdivision **Group-1** (As per NBC) for period of **one year** from issue date. Subject to the following conditions.

Issued on **09-Mar-2021** at Mohali MC

ਤਸਦੀਕ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ Delhi Public School Mohali (ਬਿਲਡਿੰਗ ਜਾਂ ਅਦਾਰੇ ਦਾ ਨਾਮ) ਜੋ ਕਿ Delhi Public School Mohali Chapper Chiri, Sector 92, Mohali (ਪਤਾ) ਸਮੇਤ 1 ਬੇਸਮੈਂਟ ਅਤੇ 1 (ਉੱਪਰਲੀ ਮੰਜ਼ਿਲ) ਮਲਕੀਅਤ / ਕਾਬਜ਼ਦਾਰ Delhi Public School Mohali (ਕੰਪਨੀ / ਮਾਲਕ/ਕਾਬਜ਼ਦਾਰ ਦਾ ਨਾਮ) ਨੂੰ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਪ੍ਰਭਾਵੀ ਅਤੇ ਬਚਾਅ ਦੇ ਰਾਸਟਰੀ ਬਿਲਡਿੰਗ ਕੋਡ ਅਨੁਸਾਰ ਜਿਸ ਨੂੰ ਸਬੰਧਤ ਅੱਗ ਬੁਝਾਉ ਅਧਿਕਾਰੀ ਵੱਲੋਂ ਪ੍ਰਮਾਣਿਤ ਕੀਤਾ ਗਿਆ 08-Mar-2021 (ਮੁਆਇਨਾ ਕਰਨ ਦੀ ਮਿਤੀ) ਮੌਜੂਦਗੀ ਵਿੱਚ Amit Bhakkal (ਮਾਲਕ ਦਾ ਨਾਮ ਅਤੇ ਪਤਾ ਜਾਂ

ਮਾ ਦਾ ਪ੍ਰਤੀਕ੍ਰਮ) ਅਤੇ ਇਮਾਰਤ / ਬਿਲਡਿੰਗ ਆਬਾਦੀ ਲਈ ਯੋਗ ਹੋ। Occupancy Group Educational Building
B-1 subdivision Group-1 (ਐਨ. ਬੀ. ਸੀ. ਦੇ ਅਨੁਸਾਰ) ਦੇ ਪ੍ਰਭਾਵੀ ਸਮੇਂ ਤੋਂ ਇੱਕ ਸਾਲ ਤੱਕ। ਜਿਸ ਲਈ ਨਿਮਨ
ਅਨੁਸਾਰ ਹਦਾਇਤਾਂ ਹਨ।

ਜਾਰੀ ਕਰਨ ਦੀ ਮਿਤੀ 09-Mar-2021 ਕਿੱਥੇ Mohali MC .

1. Fire Safety arrangements shall be kept in working condition at all the times.
ਹਰ ਸਮੇਂ ਅੱਗ ਤੋਂ ਬਚਾਅ ਦੇ ਯੰਤਰਾਂ ਨੂੰ ਚਾਲੂ /ਚੱਗੀ ਹਾਲਤ ਵਿੱਚ ਰੱਖਿਆ ਜਾਵੇ।
2. No, alteration/ addition/ change in use of occupancy is allowed.
ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਦੇ ਬਦਲਾਅ/ ਵਾਧੇ/ ਕਾਬਜਕਾਰ ਵਿੱਚ ਬਦਲਾਵ ਦੀ ਮਨਾਹੀ ਹੈ।
3. Occupants/ owner should have trained staff to operate the operation of fire safety system provided there in.

ਉਪਲੱਬਧ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਯੰਤਰਾਂ ਦੀ ਵਰਤੋਂ ਤੋਂ ਰਹਿਣ ਵਾਲੇ ਲੋਕਾਂ / ਮਾਲਕਾਂ ਨੂੰ ਜਾਣੂ ਕਰਵਾਇਆ ਜਾਣਾ
ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ।

4. Fire Officer can check the arrangements of fire safety at any time, this certificate will be withdrawn without any notice if any deficiency is found.

ਫਾਇਰ ਓਫਿਸਰ ਕਿਸੇ ਵੀ ਵਕਤ ਇਨ੍ਹਾਂ ਸਾਰੇ ਪ੍ਰਬੰਧਾਂ ਨੂੰ ਚੈੱਕ ਕਰ ਸਕਦਾ ਹੈ, ਜੇ ਕਰ ਕੇਈ ਕਮੀ ਪਾਈ
ਗਈ ਤਾਂ ਬਿਨਾਂ ਕਿਸੇ ਨੋਟਿਸ ਦੇ ਇਹ ਸਰਟੀਫਿਕੇਟ ਰੱਦ ਸਮਝਿਆ ਜਾਵੇਗਾ।

5. Occupants/ owner should apply for renewal of fire safety certificate one month prior to expiry of this certificate.

ਮਾਲਕ ਜਾਰੀ ਕੀਤੇ ਗਏ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਦੀ ਮਿਤੀ ਖਤਮ ਹੋਣ ਤੋਂ ਇੱਕ ਮਹੀਨਾ ਪਹਿਲਾਂ ਚੀਨੀਊ
ਕਰਵਾਉਣ ਲਈ ਪਾਬੰਦ ਹੋਵੇਗਾ।

* Above Details cannot be used as ownership proof.

ਉਪਰੋਕਤ ਦਰਸਾਈ ਗਈ ਜਾਣਕਾਰੀ ਨੂੰ ਮਾਲਕਾਨਾ ਦੇ ਸਬੂਤ ਵਜੋਂ ਨਹੀਂ ਵਰਤਿਆ ਜਾਵੇਗਾ।

* This is digitally created certificate, no signature are needed

ਇਹ ਡਿਜੀਟਲੀ (ਕੰਪਿਊਟਰਾਈਜ਼ਡ) ਤਿਆਰ ਕੀਤਾ ਗਿਆ ਸਰਟੀਫਿਕੇਟ ਹੈ, ਜਿਸ ਵਿੱਚ ਦਸਤਖਤ ਦੀ ਕੋਈ ਲੋੜ ਨਹੀਂ ਹੈ।

BUILDING SAFETY CERTIFICATE

ਦਫਤਰ :- ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪ੍ਰਾਂਤਕ ਮੰਡਲ, ਲੋ.ਨਿ.ਵਿ. ਭ ਤੇ ਮ ਸਾਖਾ, ਸਾਹਮਣੇ ਪੁਲਿਸ ਸਟੇਸ਼ਨ, ਇੰਡਸਟ੍ਰੀਅਲ ਏਰੀਆ ਫੇਜ਼-1, ਸਾਹਿਬਜ਼ਾਦਾ ਅਜੀਤ ਸਿੰਘ ਨਗਰ (ਮੋਹਾਲੀ)

E-mail Id : [pwmohali@gmail.com](mailto:pwdmohali@gmail.com) Tel. & Fax No. 0172-2226328

ਵੱਲ,

The Principal,
Delhi Public School
Sector -92
Mohali.

ਨੰ: 3492

ਮਿਤੀ: 7-4-2021

ਵਿਸ਼ਾ- ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਕਰਨ ਸਬੰਧੀ।

ਹਵਾਲਾ: ਆਪ ਦਾ ਪੱਤਰ ਨੰ: Nil ਮਿਤੀ 16.03.2021

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਇਸ ਮੰਡਲ ਅਧੀਨ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ: 1, ਲੋ. ਨਿ. ਵਿ. ਭ ਤੇ ਮ ਸਾਖਾ, ਐਸ.ਏ.ਐਸ ਨਗਰ ਦੀ ਰਿਪੋਰਟ ਅਨੁਸਾਰ ਸਕੂਲ ਦੀ ਇਮਾਰਤ ਦਾ ਹਰ ਪੱਖ ਮੁਆਇਨਾ ਕਰਨ ਉਪਰੰਤ ਇਮਾਰਤ ਠੀਕ ਪਾਈ ਗਈ ਹੈ। ਸਕੂਲ ਵੱਲੋਂ ਇੰਸਪੈਕਸ਼ਨ ਫੀਸ ਰੁ: 10,000/- ਜੀ.ਆਰ. ਨੰ. 3903232 ਮਿਤੀ 06-04-2021 ਰਾਹੀਂ ਜਮਾਂ ਕਰਵਾ ਦਿੱਤੀ ਗਈ ਹੈ। ਇਸ ਲਈ ਉਪਰੋਕਤ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਮਿਤੀ 31-3-2022 ਤੱਕ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਤੇ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

- 1 ਜੇ ਸਕੂਲ ਦੀ ਇਮਾਰਤ ਵਿੱਚ ਕੋਈ ਵੀ ਵਾਧਾ/ਬਦਲਾਅ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਜਾਂ ਕਿਸੇ ਵੀ ਕਿਸਮ ਦੀ ਤਬਦੀਲੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਤਾਂ ਇਹ ਕੰਮ ਕਿਸੇ ਯੋਗ ਇੰਜੀਨੀਅਰ ਦੀ ਦੇਖ ਰੇਖ ਵਿੱਚ ਕਰਵਾਇਆ ਜਾਵੇ ਤੇ ਕੰਮ ਮੁਕੰਮਲ ਹੋਣ ਉਪਰੰਤ ਸਬੰਧਤ ਅਧਿਕਾਰੀ ਤੋਂ ਇਸ ਦਾ ਸਰਟੀਫਿਕੇਟ ਦੁਬਾਰਾ ਲਿਆ ਜਾਵੇ।
- 2 ਜੇ ਬਿਲਡਿੰਗ ਹੜਾਂ ਜਾਂ ਕਿਸੇ ਹੋਰ ਕੁਦਰਤੀ ਆਫ਼ਤਾਂ ਤੋਂ ਪ੍ਰਭਾਵਿਤ ਹੁੰਦੀ ਹੈ ਤਾਂ ਤੁਰੰਤ ਹੀ ਇਸ ਨੂੰ ਵਿਭਾਗ ਤੋਂ ਦੁਬਾਰਾ ਚੈਕ ਕਰਵਾਇਆ ਜਾਵੇ।
- 3 ਇਸ ਬਿਲਡਿੰਗ ਦਾ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ, ਪੰਜਾਬ ਫਾਇਰ ਸਰਵਿਸ, ਐਸ.ਏ.ਐਸ ਨਗਰ ਵਲੋਂ ਉਨ੍ਹਾਂ ਦੇ ਐਨ.ਓ.ਸੀ ਨੰ. 2004-35170-Fire/24169 ਮਿਤੀ: 09.03.2021 ਦੁਆਰਾ ਜਾਰੀ ਕੀਤਾ ਗਿਆ ਹੈ। ਉਨ੍ਹਾਂ ਵੱਲੋਂ ਲਿਖਿਆ ਗਿਆ ਹੈ ਕਿ ਅੱਗ ਬੁਝਾਊ ਯੰਤਰ ਤਸੱਲੀਬਖਸ਼ ਹੋਣੇ ਚਾਹੀਦੇ ਹਨ ਅਤੇ ਕਰਮਚਾਰੀ ਅੱਗ ਬੁਝਾਉਣ ਸਬੰਧੀ ਟਰੇਨਿੰਗ ਹੋਣੇ ਚਾਹੀਦੇ ਹਨ, ਇਸ ਨੂੰ ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ।
- 4 ਇਹ ਸਰਟੀਫਿਕੇਟ ਕਿਸੇ ਵੀ ਲੀਗਲ ਕੇਸਾਂ ਲਈ ਪ੍ਰਮਾਣਿਤ ਨਹੀਂ ਹੋਵੇਗਾ।

ਨੱਥੀ/



ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,
ਪ੍ਰਾਂਤਕ ਮੰਡਲ, ਲੋ. ਨਿ. ਵਿ. ਭ ਤੇ ਮ ਸਾਖਾ,
ਸਾਹਿਬਜ਼ਾਦਾ ਅਜੀਤ ਸਿੰਘ ਨਗਰ।

ਮਿਤੀ:

ਪਿੱਠ ਅੱਕਣ ਨੰ:

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ: 1, ਲੋ. ਨਿ. ਵਿ. ਭ ਤੇ ਮ ਸਾਖਾ, ਐਸ.ਏ.ਐਸ ਨਗਰ ਨੂੰ ਉਨ੍ਹਾਂ ਦੇ ਪੱਤਰ ਨੰ: 158 ਮਿਤੀ 06-04-2021 ਦੇ ਹਵਾਲੇ ਵਿੱਚ ਸੂਚਨਾ ਦਿੱਤੀ ਜਾਣੀ ਹੈ।

ਨੱਥੀ/

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,
ਪ੍ਰਾਂਤਕ ਮੰਡਲ, ਲੋ. ਨਿ. ਵਿ. ਭ ਤੇ ਮ ਸਾਖਾ,
ਸਾਹਿਬਜ਼ਾਦਾ ਅਜੀਤ ਸਿੰਘ ਨਗਰ।

SAFE WATER CERTIFICATE

Regional Advance Water Testing Laboratory (RAWTL) Phase- 2, SAS Nagar

ULR-TC638821000000111F

ID No. RAWTL/17556/ 1868

Dated 19/05/2021

TEST REPORT Chemical Testing

Sr. No	Group	Sample Tested in Group (✓)
1.	Residues in Water	✓
2.	Water	✓

Sample Registration No. : RAWTL/17556/
Sample code given by customer : Not Applicable

Issued to : - Delhi Public School,
Sector-92,
SAS Nagar,
Punjab

SAMPLE PARTICULARS

Ref. Letter No. : Letter no. DPSMOH/2021/0213 dated 05.05.2021
Date of Receipt : As per Annexure 1 attached
Sample code given by customer : Not Applicable
Name / Nature of sample : Water
Condition of the sample : Un-Sealed samples
Qty/Pkg : 500 ml Amber Colored Glass bottle
Sampling Method : Sample not drawn by RAWTL
Test Start Date : 06.05.2021
Test Completion Date : 19.05.2021

sojanwal
Dr. Veenakshi Sharma
Quality Manager
Authorized Signatory

For Regional Advance Water Testing Laboratory

Note:

- ☞ The enclosed results pertain only to the sample tested.
- ☞ The report shall not be used for advertising or any legal purpose without written permission from the Head, DWSS.
- ☞ This report cannot be re-produced, except when in full, without the written permission from the Head, DWSS.
- ☞ The sample shall be destroyed after one month from the date of issue of the report.